DEMAG AC205 80T

MAIN BOOM

FULLY EXTENDED OUTRIGGERS (7.70m x 7.00m) - 360 DEG. $\bf 18t\ COUNTERWEIGHT$

	BOOM LENGTHS													
RADIUS	10.9	16.1	21.4	21.5	25.0	25.0	31.2	31.8	37.1	37.2	42.3	42.5	46.1	50.0
3	80.0 *													
3	70.0													
3.5	64.7	50.0												
4	59.6	50.0	40.0	17.0										
4.5	55.2	50.0	38.0	17.0	30.0	16.0								
5	51.3	47.6	35.5	17.0	30.0	16.0	17.0	15.0						
6	42.2	41.8	31.7	17.0	28.9	16.0	17.0	14.4	15.0	11.0				
7	35.2	34.9	28.6	17.0	26.1	16.0	17.0	13.4	14.7	11.0	11.0	8.0		
8	28.4	29.8	26.0	17.0	23.5	16.0	17.0	12.4	14.1	11.0	11.0	8.0	8.0	
9		25.8	23.6	17.0	21.2	16.0	17.0	11.5	13.5	11.0	11.0	8.0	8.0	6.0
10		22.1	21.2	16.9	19.1	16.0	16.1	10.6	12.9	10.8	11.0	8.0	8.0	6.0
12		16.2	15.3	15.4	15.3	14.8	13.9	9.3	11.5	9.6	10.8	8.0	7.8	6.0
14			11.6	13.8	11.6	13.1	12.1	8.3	10.2	8.5	9.8	7.3	7.5	5.9
16			9.1	11.3	9.0	10.8	10.5	7.4	9.1	7.5	8.6	6.6	7.1	5.7
18			7.2	9.3	7.1	8.9	8.5	6.7	8.1	6.7	7.6	6.0	6.7	5.4
20					5.6	7.4	7.1	6.2	7.4	5.9	6.8	5.4	6.1	5.0
22							5.9	5.7	6.3	5.3	6.2	4.9	5.6	4.6
24							4.9	5.2	5.3	4.8	5.2	4.5	5.1	4.2
26							4.1	4.8	4.5	4.4	4.3	4.1	4.5	3.8
28									3.8	4.0	3.6	3.8	3.8	3.5
30									3.2	3.5	3.0	3.5	3.2	3.2
32									2.6	3.0	2.5	3.0	2.7	2.7
34											2.1	2.5	2.3	2.3
36											1.7	2.2	1.9	1.9
38											1.3	1.8	1.5	1.5
40													1.2	1.2
42													0.9	0.9
44														0.6

DEMAG AC205 80t

FOLDING JIB - 360 deg

0

3.8

3.8

3.8

3.8

3.7

3.6

3.4

3.2

3.0

2.9

2.7

2.5

2.4

2.1

1.7

1.4

1.1

0.9

0.7

1.3

1.0

8.0

RADIUS

10

12

14

16

18

20

22

24

26

28

30

32

34

36

38

40

42

44

46

48

50

FULLY EXTENDED OUTRIGGERS (7.70m x 7.00m) **18t COUNTERWEIGHT**

MAIN BOOM - 46.1m

FOLDING JIB 9.2 17.6 20 20 40 40 0 1.5 1.5 3.4 3.4 3.0 1.5 1.5 3.2 2.9 1.4 3.1 2.8 1.5 1.4 3.0 2.7 1.4 1.4 2.8 2.6 1.4 1.4 1.2 2.7 2.5 1.3 1.4 1.1 2.5 2.4 1.3 1.3 1.1 2.3 1.3 2.3 1.3 1.1 2.2 2.2 1.2 1.2 1.1 2.1 2.0 1.2 1.2 1.1 2.0 1.9 1.1 1.2 1.0 1.9 1.8 1.1 1.1 1.0 1.7 1.6 1.1 1.1 1.0 1.0

1.0

1.0

0.9

1.1

1.0

1.0

0.9 0.7 1.0

1.0 1.0

MAIN BOOM - 50.0m

FOLDING JIB								
	9.2		17.6					
0	20	40	0	20	40			
2.8								
2.8	2.8		1.0					
2.8	2.8	2.6	1.0					
2.8	2.7	2.5	1.0					
2.7	2.5	2.4	1.0	1.0				
2.5	2.4	2.3	1.0	1.0				
2.4	2.3	2.1	1.0	1.0	1.0			
2.2	2.1	2.0	1.0	1.0	1.0			
2.1	2.0	1.9	1.0	1.0	1.0			
2.0	1.9	1.8	0.9	1.0	1.0			
1.9	1.8	1.7	0.9	1.0	1.0			
1.8	1.7	1.6	8.0	0.9	1.0			
1.7	1.6	1.5	8.0	0.9	0.9			
1.6	1.5	1.5	0.8	0.8	0.9			
1.4	1.5	1.4	8.0	8.0	8.0			
1.1	1.2		0.7	8.0	0.8			
0.8	1.0		0.7	8.0	8.0			
0.6	0.7		7.0	0.7	0.7			
			0.6	0.7	0.7			
				0.6				


DEMAG AC205 80T

MAIN BOOM


NO OUTRIGGERS FREE ON WHEELS, 0 deg. OVER REAR

	18t Count	erweight	8t Counte	rweight	5t Counterweight		
_	MAIN BO	MOC	MAIN BO	OOM	MAIN BOOM		
RADIUS	10.9	16.1	10.9	16.1	10.9	16.1	
4	12.5	12.3	12.0	11.7	11.8	11.6	
4.5	11.3	11.1	10.8	10.5	10.6	10.3	
5	10.2	10.0	9.7	9.5	9.5	9.3	
6	8.4	8.2	7.9	7.7	7.8	7.5	
7	7.0	6.7	6.5	6.3	6.4	6.2	
8	5.8	5.5	5.4	5.2	5.3	5.1	
9		4.6		4.2		4.0	
10		3.8		3.5		3.2	
12		2.5		2.2		1.8	

DEMAG AC205 80TMAIN BOOM RANGE CHART



DEMAG AC205 80T FLY JIB RANGE CHART



DEMAG AC205 80T

DIMENSIONS

